PATENT COOPERATION TREATY PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference SJB:AJH:TR:FP20435	FOR FURTHER A	ACTION	See Form PCT/IPEA/416		
International application No.	International filing	date (day/month/year)	Priority date (day/month/year)		
PCT/AU2004/001333	29 September 200)4	30 September 2003		
International Patent Classification (IPC) or	national classification	n and IPC			
Int. Cl.					
A61K 39/00 (2006.01) A61P 37/02 (2006.01)					
Applicant TELETHON INSTITUTE FOR CHILD HEALTH RESEARCH et al					
This report is the international prelimina Authority under Article 35 and transmitt	ry examination reported to the applicant ac	t, established by this Intecording to Article 36.	mational Preliminary Examining		
2. This REPORT consists of a total of 6	sheets, including this	cover sheet.			
3. This report is also accompanied by ANN	EXES, comprising:				
a. X (sent to the applicant and to the	International Burea	u) a total of 3 sheets, as	follows:		
sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).					
sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the Supplemental Box.					
b. (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(s)), containing a sequence listing and/or table related thereto, in electronic form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions).					
4. This report contains indications relating			_		
X Box No. I Basis of the report					
Box No. II Priority					
Box No. III · Non-establishment					
Box No. IV Lack of unity of invention					
X Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement					
Box No. VI Certain documents					
Box No. VII Certain defects in the international application					
X Box No. VIII Certain observations on the international application					
Date of submission of the damed					
Date of submission of the demand 29 April 2005		Date of completion of this report 20 January 2006			
Name and mailing address of the IPEA/AU		Authorized Officer			
AUSTRALIAN PATENT OFFICE					
PO BOX 200, WODEN ACT 2606, AUSTRALI	TERRY SUMMERS				
E-mail address: pct@ipaustralia.gov.au Facsimile No. (02) 6285 3929		Telephone No. (02) 6283 3126			

International application No.

		PCT/AU2004/001333			
Bo	x No. I Basis of the report				
1.	With regard to the language, this report is based on:				
	X The international application in the language in which it was filed				
	A translation of the international application into translation furnished for the purposes of:	, which is the language of a			
	international search (under Rules 12.3(a) and 23.1 (b))				
	publication of the international application (under Rule 12.4(a))				
	international preliminary examination (Rules 55.2(a) and/or 55.3(a))				
2.	With regard to the elements of the international application, this report is based on (replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report):				
	the international application as originally filed/furnished				
	X the description:				
	pages 1-27, 29-35 as originally filed/furnished				
	pages* 28-28a received by this Authority on 18 November 2005 pages* received by this Authority on with the letter of X the claims:	i with the letter of 18 November 2005			
	pages 37-44 as originally filed/furnished				
	pages* as amended (together with any statement) under Arti	cle 19			
	pages* 36 received by this Authority on 18 November 2005 v				
	pages* received by this Authority on with the letter of				
	X the drawings:				
	pages 1/7-7/7 as originally filed/furnished				
	pages* received by this Authority on with the letter of pages* received by this Authority on with the letter of	•			
	a sequence listing and/or any related table(s) - see Supplemental Box Relating to S	equence Listing.			
3.	The amendments have resulted in the cancellation of:				
	the description, pages	•			
	the claims, Nos.				
	the drawings, sheets/figs				
	the sequence listing (specify):				
	any table(s) related to the sequence listing (specify):				
4.	This report has been established as if (some of) the amendments annexed to this remade, since they have been considered to go beyond the disclosure as filed, as indicated to 30.2(c)).				
	the description, pages				
	the claims, Nos.				
	the drawings, sheets/figs				
	the sequence listing (specify):				
	any table(s) related to the sequence listing (specify):				
•	If item 4 applies, some or all of those sheets may be marked "superseded."	<u> </u>			

International application No.

PCT/AU2004/001333

Box No. V	Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

- 1					
İ	1. Statement				
	Novelty (N)	Claims	YES		
		Claims 1-51	NO		
	Inventive step (IS)	Claims	YES		
		Claims 1-51	NO		
	Industrial applicability (IA)	Claims 1-51	YES		
	•	Claims	NO		

2. Citations and explanations (Rule 70.7)

- D1: Castro A.G., et al. "Anti-interleukin 10 receptor monoclonal antibody is an adjuvant for T helper cell type 1 responses to soluble antigen only in the presence of lipopolysaccharide", 2000, J. Exp. Med., vol 192, no. 10, pages 1529-1534
- D2: Peng H.J., et al. "B-cell depletion fails to arrogate the induction of oral tolerance of specific Th1 immune responses in mice", 2000, Scand. J. Immunol., vol 51, pages 454-560
- D3: Wu X., et al. "Selective suppression of antigen-specific Th2 cells by continuous micro-dose oral tolerance", 1998, Eur. J. Immunol., vol. 28, pages 134-142
- D4: Jilek S., et al. "Antigen-independent suppression of the allergic immune response to bee venom phospholipase A2 by DNA vaccination in CBA/J mice", 2001, J. Immunol., vol. 166, pages 3612-3621
- D5: Melamed D., et al. "Peripheral tolerance of Th2 lymphocytes induced by continuous feeding of ovalbumin", 1996, Int. Immunol., vol. 8, no. 5, pages 717-724
- D6: Kim J.H. and Ohsawa M. "Oral tolerance to ovalbumin in mice as a model for detecting modulators of the immunologic tolerance to a specific antigen", 1995, Biol. Pharm. Bull., vol. 18, no. 6, pages 854-858
- D7: von Herrath M.G., et al. "Tolerance induction with agonist peptides recognized by autoaggressive lymphocytes is transient: therapeutic potential for type 1 diabetes is limited and depends on time-point of administration, choice of epitope and adjuvant", 2001, J. Autoimmun., vol. 16, no. 3, pages 193-9
- D8: Moreland L.W., et al. "T cell receptor peptide vaccination in rheumatoid arthritis", 1998, Arthritis and Rheumatism, vol. 41, no. 11, pages 1919-1929
- D9: WO 2001/052886 A (Alfred Hospital et al.) 26 July 2001
- D10: Tobagus I.T., et al. "Adjuvant costimulation during secondary antigen challenge directs qualitative aspects of oral tolerance induction, particularly during neonatal period", 2004, J. Immunol., vol. 172, pages 2274-2285

International application No. PCT/AU2004/001333

Box No. VIII Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

Claims 22, 32, 35 and dependent claims are not fully supported by the description. There is only support for the method of treating a disease (cf. claim 22), a method of immunotherapy (cf. claim 32) and a method of treating a Th1 or Th2 disease (cf. claim 35) to be a method of immunotherapy or a method treating a Th1 or Th2 disease wherein the immune response is altered. The inventive concept appears to be that administering antigen in an amount so that the immune response is down regulated, followed by subsequent administration of an immunomodifying agent is able to alter the immune response, for example converting a Th1 cytokine profile in a patient into a Th2 cytokine profile. However as currently drafted the claims are not limited to the inventive concept. For this reason claims 22, 32, 35 are not fully supported by the description.

Claim 35 and dependent claims are not fully supported by the description as they omit the feature that an antigen in immunotherapeutic form is administered so that the immune response is down regulated. The inventive concept appears to be that administering antigen in an amount so that the immune response is down regulated, followed by subsequent administration of an immunomodifying agent is able to alter the immune response, for example converting a Th1 cytokine profile in a patient into a Th2 cytokine profile. However as currently drafted the claims are not limited to the inventive concept. For this reason claims 35 and dependent claims are not fully supported by the description.

International application No. PCT/AU2004/001333

Supplemental Box I

Continuation of V:

D10 was published prior to the international filing date but later than the claimed priority date but which would otherwise be considered to be of particular relevance. This document will not be commented on in this report but may be considered relevant during national phase examination.

- D1: This paper describes a range of experiments to investigate the activity of anti-interleukin-10 receptor monoclonal antibody (anti-IL-10R mAb). In particular one of these experiments (page 1531, left column) discloses that mice were primed with soluble ovalbumin (OVA₃₂₃₋₃₉₉) peptide or OVA protein in the presence or absence of IL-10 receptor monoclonal antibody (IL-10R mAb). These mice were then rechallenged with OVA protein in Complete Freunds Adjuvant (CFA). This disclosure describes the two major steps of the claimed methods, that is the administration of an immunotherapeutic antigen (priming with OVA protein) and subsequent administration of the same antigen in immunogenic form (rechallenge with OVA protein in CFA). Using the OVA protein it was shown that a Th1 response could be induced.
- D2: Mice were administered OVA for five days (step (i) immunotherapeutic antigen) then administered OVA in CFA (step (ii) immunomodifying agent). This resulted in a suppression of the Th1 immune response.
- D3: Transgenic mice carrying the OVA peptide fragment 323-339 were administered OVA for 14 consecutive days to induce oral tolerance (step (i) immunotherapeutic antigen) then administered OVA in alum (step (ii) immunomodifying agent). This resulted in a suppression of the Th2 immune response.
- D4: Mice were administered phospholipase A₂ (PLA₂) through DNA vaccination (step (i) immunotherapeutic agent), then administered PLA₂ in alum (step (ii) immunomodifying agent). This resulted in a suppression of the Th2 immune response.
- D5: Mice were administered OVA for 20 days to induce oral tolerance (step (i) immunotherapeutic antigen), then administered OVA in CFA or OVA in Al(OH)₃ (step (ii) immunomodifying agent). This resulted in the induction of IL-4 secretion and suppression of IFN- γ secretion.
- D6: Mice were administered OVA to induce oral tolerance (step (i) immunotherapeutic antigen), then administered OVA in CFA (step (ii) immunomodifying agent).

Novelty and Inventive Step

Claims 1-51 are not novel or inventive in light of the disclosure of each of documents D1 to D6.

The present invention is based on the discovery that the administration of an antigen to an individual suffering from a disease to desensitise the individual to the antigen followed by the administration of the antigen in a different form results in the treatment of the disease.

However, the claims as drafted are not limited to the second administration (or the two administrations) being in a different form. Even if the claims were limited to this feature D2 discloses oral administration of OVA followed by intradermal rechallenge with OVA. D5 and D6 disclose oral administration of OVA to induce oral tolerance followed by i.p administration of OVA in complete Freund's adjuvant.

International application No. PCT/AU2004/001333

Supplemental Box

Continuation of: Supplemental Box I

It is noted that induction of oral tolerance is an immunotherapy for allergic and autoimmune diseases, it contributes to the prevention of allergic response and immune mediated diseases. Therefore tolerance is induced in sensitised individuals.

Each of documents D1 to D6 disclose experimental methods exemplifying the steps of (i) administering an antigen to induce tolerance to the said antigen. Followed by (ii) the subsequent administration of the same antigen to alter the immune response that is switch TH1 cytokine profile to TH2 cytokine profile and vice versa.

The definition of the term "immunomodifying form" added to page 28 is exactly how immunomodifying agent has been used in the citations D7 to D9. An immunomodifying form of the antigen in the citations is producing a therapeutic response.

Therefore claims 31, 35, 36 and 51 are not novel or inventive when compared to D7, D8 or D9. As currently drafted, the disclosures of D7, D8 and D9 fall within the scope of these claims. Claim 31 is a kit to be used to alter the Th1 or Th2 response of an individual and contains Th1 antigens, Th1 or Th2 adjuvants, or combinations thereof and instructions for use. Claims 35 and 36 refer to the use of an immunomodifying agent for the manufacture of a medicament for the treatment of a Th1 or Th2 associated disease, while claim 51 refers to immunomodifying agent per se. D7 describes the use of lymphocytic choriomeningitis in combination with CFA or incomplete Freunds Agent (IFA) which is considered to be the immunomodifying agent, and this combination is used to treat diabetes. D8 discloses the use of TCR peptide antigens in combination with IFA to treat rheumatoid arthritis. While D9 describes a DNA encoding an antigen such as the measles virus H or F protein plus a mucosal adjuvant such as the cholera toxin-ß subunit for the treatment of measles. These disclosures clearly fall within the scope of claims 31, 35, 36 and 51 and therefore these claims lack novelty and inventive step.

Industrial Applicability (IA)

The	invention.	defined i	n the claims	hac Industrial	Applicability in the	field of immunotherapy.
1 110	HIVERHUN !	ислиен г	a me cianns	HAS IDCHISHIAL	Anonczonuv in the	: neid of humananamerany.